

A large, detailed off-the-road tire with a deep, aggressive tread pattern is shown in the lower half of the image. The tire is mounted on a metal rim and is part of a larger vehicle, likely a truck or excavator, which is partially visible in the background. The entire image has a blue tint.

Off-The-Road Tires

Off-The-Road Tires



RIGID DUMP TRUCK	04
ARTICULATED DUMP TRUCK	06
GRADER	07
LOADER AND BULLDOZER	08
UNDERGROUND MINING	10
MOBILE CRANE	11
SCRAPER	12
COMPACTOR	12
INDUSTRIAL AND PORT	13

RIGID DUMP TRUCK



RADIAL TIRES



SIZE		TB586	TB536	TB526	TL569	TB516S	TL558S	TB566S
		E2		E3		E4		
24"	14.00R24		★★★			★★★/★★★RF		
	14.00-24							
25"	13.00R25				★★★			
	14.00R25	★★★	★★★	★★★RF		★★★/★★★RF		
	16.00R25					★★★	★★★	
	17.5R25							
	18.00R25					★★/★★★RF		
	16.00-25							
	18.00-25							
33"	18.00R33							★★
	21.00R33							
35"	21.00R35							
	24.00R35							

RIGID DUMP TRUCK



BIAS TIRES



TB526S	TB577A	TB577A SUPER
E4		
★★		
★★		
★★		
★★	★★★	★★★

TL558	TL612	TL510	
E3		E4	
28/36 PR	24PR		
	28/32PR		
	32PR	44PR	
		32PR	

ARTICULATED DUMP TRUCK



RADIAL TIRES



SIZE		TB516	TL528	TB598	TB598S	
		E3			E4	
25"	17.5R25	★★				
	20.5R25	★★				
	23.5R25	★★	★★	★★	★★	
	26.5R25	★★		★★	★★	
	29.5R25	★★		★★	★★	
	600/65R25			★★		
	650/65R25			★★		
	750/65R25			★★	★★	
29"	29.5R29	★★				
	33.25R29				★★	
	775/65R29			★★		
	875/65R29			★★	★★	

TRIANGLE
Tires for Life

[illegible]

LOADER AND BULLDOZER



RADIAL TIRES



SIZE		TB515	TM518	TB596 [*] WINTER	TB516	TB598	TB598S	TL578S
		L2			L3		L4	
20"	16/70-20							
24"	14.00R24	★		★				
	14.00-24							
25"	15.5-25							
	17.5R25	★★		★/★★	★★			
	17.5-25							
	20.5R25	★/★★		★/★★	★★			
	20.5-25							
	23.5R25		★★	★/★★	★★	★★	★★	
	26.5R25				★★	★★	★★/★★★	
	26.5-25							
	29.5R25				★★	★★	★★	
	29.5-25							
	600/65R25					★★		
	650/65R25					★★		
	750/65R25					★★		
29"	29.5R29				★★			★★★/★★★★
	29.5-29							
	775/65R29					★★		
	875/65R29					★★	★★	
33"	35/65R33							★★★/★★★★
45"	45/65-45							

LOADER AND BULLDOZER



TL535S+	TL538S+	TL559S+
L5		
	★★	★★/★★★
	★★	★★/★★★
	★★	★★/★★★
	★★	★★/★★★
★★/★★★		

BIAS TIRES



TL502	TL612	TL516	TL520
L3			L5
	14PR	12PR	
	16/24PR		
12PR			
	16PR		
	16/20PR		
	20/32 PR		
	20/28PR		
	28/34PR		
	28PR		
			58PR

UNDERGROUND MINING



RADIAL TIRES



BIAS TIRES

[illegible][illegible]

SCRAPER



RADIAL TIRES



SIZE	TB516	TL568+	
	E3		
29"	29.5R29	★★	
	33.25R29	★★	

COMPACTOR



BIAS TIRES



SIZE	C-1	TB822	TB812	
20"	11.00-20	16PR		
	13/80-20	16PR		
26"	23.1-26	14PR	12PR	


TRIANGLE
Tires for Life



BIAS TIRES

[illegible][illegible]

TIRE MARKINGS



- | | |
|---|--------------------------------|
| ① Product code | ⑦ Rim diameter (in inches): 25 |
| ② Tire number | ⑧ Industry code: E-3 |
| ③ Nominal section width of the tire (in mm): 750 | ⑨ Tire compound: T2 |
| ④ Nominal section width of the tire (in inches): 30 | ⑩ Tread pattern: TB598 |
| ⑤ Tire series: aspect ratio = 0.65 | ⑪ Load capability: ★★ |
| ⑥ Radial structure: R | ⑫ Safety warning |
| | ⑬ Up/Bottom side: M/F |

CODE	TREAD PATTERN	APPLICATION
C1	SMOOTH	Compactor 
E2	TRACTION	 Transport
E3	ROCK	
E4	ROCK(deep tread)	
E7	FLOTATION	
L2	TRACTION	 Loader and Bulldozer
L3	ROCK	
L4	ROCK(deep tread)	
L5	ROCK(very-deep tread)	
L4S	SMOOTH(deep tread)	
L5S	SMOOTH(very-deep tread)	
G2	TRACTION	Grader 
IND3	ROCK	 Industrial Vehicle
IND4	ROCK(deep tread)	
IND5	ROCK(very-deep tread)	



Triangle Tyre Co., Ltd

Via Mauro Macchi, 27
20124 MILAN - ITALY

www.triangle.com.cn
info@triangle-eu.com



Download the
Triangle Tyre Catalogue